

TECHNICAL SPECIFICATION

PROCUREMENT OF CENTER TABLE FOR THE OFFICIAL USE OF THE RESIDENCE

Specifications		
I.	Scope This specification covers the design, materials, dimensions, craftsmanship, and warranty requirements for the procurement of a high-quality round center table with a carved rosewood base and a glass top. The table is intended for indoor use in a formal or residential setting.	
II.	A. Material & Origin 1. Tabletop • Material: Tempered glass, transparent, clear or slightly tinted (purchaser to confirm preference). • Shape: Perfectly circular. • Diameter: Supplier to propose standard sizes (e.g., 30"–36"), or as specified by the purchaser. • Edge Finish: Smooth, beveled or rounded edge (minimum 5 mm bevel). • Glass Thickness: Minimum 10 mm tempered safety glass. • Tempering: Must comply with international safety glass standards (e.g., ANSI Z97.1, EN 12150 or equivalent). 2. Base • Material: Solid rosewood (<i>Dalbergia</i> spp. or equivalent high-density hardwood), kiln-dried and treated. • Design: Hand-carved or precision machine-carved decorative detailing on pedestal or leg assemblies. • Finish: Smooth, hand-polished or lacquered surface; color tone to highlight natural rosewood grain. • Support: Stable base configuration (e.g., central pedestal or tripod) to ensure load-bearing and balance. • Assembly: Glass must be either fixed via discreet supports, suction pads, or free-placed with non-	Statement of Compliance

	slip pads; no visible glue or adhesive should be present on upper surface. B. Dimensions & Tolerances 1. Overall Height: 18 inches (457 mm) $\pm$ 0.5 inch. 2. Top Diameter: either 30", 32", or 36". 3. Tolerance $\pm$ 0.5 inch. 4. Base Footprint: Proportional to top size; must provide stability and aesthetic balance. C. Craftsmanship & Aesthetic Requirements 1. Carvings: Traditional or contemporary patterns as per design proposal; must be symmetrical, consistent, and smoothly finished. 2. Wood Quality: Free from knots, cracks, or warping. Only premium-grade hardwood to be used. 3. Joinery: Must be concealed, tight-fitting, and resistant to loosening over time. 4. Surface Finish: Evenly stained and sealed. Must resist light scratching and mild cleaning solutions. D. Acceptance Criteria 1 Delivered product must match approved sample or catalog reference. 2 Dimensions within specified tolerances. 3 Smooth finish with no scratches, dents, or defects. 4 Stable and level when placed on a flat surface. 5 Glass must be free from chips, cracks, or visible defects. 6 Carvings must be symmetrical, consistent, and well-executed. 7 All documentation must be included	
III.	Terms of payment: The Supplier shall be paid within thirty (30) calendar days after the delivery of goods and submission of the following: - Valid sales invoice Warranty: 1year warranty with the following claims: 1. Supplier must respond to warranty claims within 10	

	business days. 2. If a defect is verified, the supplier shall provide, at their cost: •Repair or restoration of the carpet, or •Full replacement with a conforming product, or •Refund as agreed between purchaser and supplier. 3. Any transport or logistics associated with a warranty claim must be handled by the supplier unless otherwise agreed.	
VIII.	Liability Clauses 1. The Embassy reserves the right to reject any unit found to be defective or non-compliant. 2. Non-delivery within the agreed timeframe may result in financial penalties or contract cancellation. 3. Any damage during shipment or delivery shall be borne by the Supplier.	
IX.	Confidentiality Clause The Supplier shall ensure confidentiality of all information related to the Embassy's communications infrastructure and personnel.	