

## TECHNICAL SPECIFICATION

### PROCUREMENT OF CENTER TABLE FOR THE OFFICIAL USE OF THE RESIDENCE

	Specifications	
I.	<b>Scope</b>  This specification covers the design, materials, dimensions, craftsmanship, and warranty requirements for the procurement of a high-quality round center table with a carved rosewood base and a glass top. The table is intended for indoor use in a formal or residential setting.	
II.	<b>A. Material &amp; Origin</b>  <b>1. Tabletop</b>  <ul style="list-style-type: none"> <li>• <b>Material:</b> Tempered glass, transparent, clear or slightly tinted (purchaser to confirm preference).</li> <li>• <b>Shape:</b> Perfectly circular.</li> <li>• <b>Diameter:</b> Supplier to propose standard sizes (e.g., 30"–36"), or as specified by the purchaser.</li> <li>• <b>Edge Finish:</b> Smooth, beveled or rounded edge (minimum 5 mm bevel).</li> <li>• <b>Glass Thickness:</b> Minimum 10 mm tempered safety glass.</li> <li>• <b>Tempering:</b> Must comply with international safety glass standards (e.g., ANSI Z97.1, EN 12150 or equivalent).</li> </ul> <b>2. Base</b>  <ul style="list-style-type: none"> <li>• <b>Material:</b> Solid rosewood (<i>Dalbergia</i> spp. or equivalent high-density hardwood), kiln-dried and treated.</li> <li>• <b>Design:</b> Hand-carved or precision machine-carved decorative detailing on pedestal or leg assemblies.</li> <li>• <b>Finish:</b> Smooth, hand-polished or lacquered surface; color tone to highlight natural rosewood grain.</li> <li>• <b>Support:</b> Stable base configuration (e.g., central pedestal or tripod) to ensure load-bearing and balance.</li> <li>• <b>Assembly:</b> Glass must be either fixed via discreet supports, suction pads, or free-placed with non-</li> </ul>	Statement of Compliance

	<p>slip pads; no visible glue or adhesive should be present on upper surface.</p> <p><b>B. Dimensions &amp; Tolerances</b></p> <ol style="list-style-type: none"> <li>1. <b>Overall Height:</b> 18 inches (457 mm) <math>\pm</math> 0.5 inch.</li> <li>2. <b>Top Diameter:</b> either 30", 32", or 36".</li> <li>3. Tolerance <math>\pm</math> 0.5 inch.</li> <li>4. <b>Base Footprint:</b> Proportional to top size; must provide stability and aesthetic balance.</li> </ol> <p><b>C. Craftsmanship &amp; Aesthetic Requirements</b></p> <ol style="list-style-type: none"> <li>1. <b>Carvings:</b> Traditional or contemporary patterns as per design proposal; must be symmetrical, consistent, and smoothly finished.</li> <li>2. <b>Wood Quality:</b> Free from knots, cracks, or warping. Only premium-grade hardwood to be used.</li> <li>3. <b>Joinery:</b> Must be concealed, tight-fitting, and resistant to loosening over time.</li> <li>4. <b>Surface Finish:</b> Evenly stained and sealed. Must resist light scratching and mild cleaning solutions.</li> </ol> <p><b>D. Acceptance Criteria</b></p> <ol style="list-style-type: none"> <li>1 Delivered product must match approved sample or catalog reference.</li> <li>2 Dimensions within specified tolerances.</li> <li>3 Smooth finish with no scratches, dents, or defects.</li> <li>4 Stable and level when placed on a flat surface.</li> <li>5 Glass must be free from chips, cracks, or visible defects.</li> <li>6 Carvings must be symmetrical, consistent, and well-executed.</li> <li>7 All documentation must be included</li> </ol>	
III.	<p><b>Terms of payment:</b> The Supplier shall be paid <b>within thirty (30) calendar days</b> after the delivery of goods and submission of the following: - Valid sales invoice</p> <p><b>Warranty:</b> 1year warranty with the following claims: 1. Supplier must respond to warranty claims within 10</p>	

	<p>business days.</p> <p>2. If a defect is verified, the supplier shall provide, at their cost:</p> <ul style="list-style-type: none"> <li>•Repair or restoration of the carpet, <b>or</b></li> <li>•Full replacement with a conforming product, <b>or</b></li> <li>•Refund as agreed between purchaser and supplier.</li> </ul> <p>3. Any transport or logistics associated with a warranty claim must be handled by the supplier unless otherwise agreed.</p>	
VIII.	<p><b>Liability Clauses</b></p> <p>1. The Embassy reserves the right to reject any unit found to be defective or non-compliant.</p> <p>2. Non-delivery within the agreed timeframe may result in financial penalties or contract cancellation.</p> <p>3. Any damage during shipment or delivery shall be borne by the Supplier.</p>	
IX.	<p><b>Confidentiality Clause</b></p> <p>The Supplier shall ensure confidentiality of all information related to the Embassy's communications infrastructure and personnel.</p>	